



Futura Safety Flexo Plate Cutter Series 2

Precision Bevel & Vertical Cuts Safely and Accurately





Foster Futura Safety Flexo Plate Cutter Series 2

No More Remakes or Injuries — Safety and Accuracy

Designed specifically for cutting flexo printing plates, this Keencut product eliminates the onerous task of hand beveling, minimizes the risk of injury from remakes and bad cuts. Perfectly designed for cutting and trimming floor graphics or other materials requiring seamless splices.

The Keencut Futura Safety Flexo Plate Cutter yields incredible cost savings simply by eliminating manual errors. No more inaccurate hand-cut bevels that result in gaps between splices. No more filling and taping hand cuts, creating stress points that can release during a press run. No more plates lifting off the printing cylinder and destroying themselves.

FUTURA SAFETY FLEXO PLATE CUTTER TIME SAVING FEATURES



ERGONOMICALLY DESIGNED FUTURA CUTTING HEAD makes it easy to use over long periods. And it is comfortable for left- or right-handed users.

NEW SITE LINE STRIP

shows operators exactly where the cut line is going to be which reduces the time to position the plate and cutting errors.

NEW 5-DEGREE UNDERCUT gives tighter joins when fixed onto the cylinder.

HIGH PERFORMANCE SELF-ALIGNING STEEL ROLLER BEARINGS

operate on twin steel tracks. Designed for a lifetime of straight, accurate, silent cutting. Can handle dense, hard-to-cut materials with no flex, side play or hooks.



WHAT CUSTOMERS ARE SAYING:

"Our internal cost is approximately \$100/plate. With the Futura Safety Flexo Plate Cutter, I would estimate a time reduction of 30 seconds per plate. It has reduced cutting



errors by approximately 10% due to better visualization of the plate cut mark position, via the site line. This ensures we don't have to order a back-up plate for our full bleed butt cut plates. It has reduced the number of plate issues on press by 5%."

Andy White, Pollard Banknote Limited, Winnipeg, MB, Canada

EACH CUTTER INCLUDES:

- Medium Duty Blades (100)
- Tech D .012 Blades (15)
- Tech S .012 Blades (15)
- Tech S .015 Blades (15)
- Full length cutting mat



ADJUSTABLE SET SCREW

To ensure straight clean cuts, the Adjustable Set Screw allows you to set the blade depth a fraction of an inch deeper than the thickness of the plate. If the blade is extended too far, the edge will scallop. For better gripping action, we suggest pushing the beveled edge cutting head with the palm of your hand versus pulling it with your fingers.

SPECS

FOR NARROW WEB PRINTERS:

MODEL #	CUT SIZE	OVERALL SIZE
61906	18"	27 ½"W x 15 ½"D
61908	32"	41 ¼"W x 15 ½"D

FOR WIDE WEB PRINTERS:

MODEL #	CUT SIZE	OVERALL SIZE
61912	50"	59 ½"W x 15 ½"D
61916	64"	73 ½"W x 15 ½"D
61920	84"	94 ½"W x 15 ½"D

FLEXO BLADE CUTTING DEPTHS

Bevel blade cuts flexo plates up to .125" thick Vertical blade cuts flexo plates up to .250" thick.

UNPRECEDENTED WARRANTY:

5-year general warranty on all parts (except consumables such as blades, cutting mats and site-line strips) 20-year warranty on the bearings used in the cutting head.

toll free (USA and Canada only) 800.523.4855 or 267.413.6220 • fax 267.413.6227

204B Progress Drive, Montgomeryville, PA 18936 USA • information@go-foster.com • www.go-foster.com

Futura Safety Flexo Plate Cutter Series 2

A blade for every need

The most commonly used blades are Standard utility blades. Also included are Tech-S and Tech-D blades which may work better on the polymer you are using. For example- Tech-S blades are designed for shaving fine slivers. The flat side holds the plate in position while the angle side pushes the scrap away from the plate.

SPECS

FOR NARROW WEB PRINTERS:

MODEL #	CUT SIZE	OVERALL SIZE
61906	18"	27 ½"W x 15 ½"D
61908	32"	41 ¼"W x 15 ½"D

FOR WIDE WEB PRINTERS:

MODEL #	CUT SIZE	OVERALL SIZE
61912	50"	59 ½"W x 15 ½"D
61916	64"	73 ½"W x 15 ½"D
61920	84"	94 ½"W x 15 ½"D

ADDITIONAL BLADES

MODEL # 69108 69119	DESCRIPTION Medium Duty Blades (100) Superior Quality Blades (100)	MODEL # 69137 69136	DESCRIPTION Tech S .015 Blades (100) Tech D .012 Blades (100)
		69136	Tech D .012 Blades (100)
61199	Tech S .012 Blades (100)	69135	Tech D .015 Blades (100)



Exact, Safe Cuts

LIFT AND HOLD SYSTEM

MODEL #61832 Raises or lowers the cutter bar and frees both hands for setting up projects.

ADD THE PROTEUS WORK BENCH FOR A COMPLETE WORK AREA

The Proteus Workbench combined with the Futura Flexo Plate Cutter Series 2 creates the ultimate precision cutting table. Modular design can be expanded as needed. Easy to assemble. Worktop not included.

MODEL #	OVERALL SIZE (LXWXH)
60937	78 ¾" x 48" x 35 ½"
60938	98 ½" x 48" x 35 ½"
60939	118" x 48" x 35 ½"
60940	137 ¾" x 48" x 35 ½"
60941	157 ½" x 48" x 35 ½"



Foster toll free (USA and Canada only) 800.523.4855 or 267.413.6220 • fax 267.413.6227 204B Progress Drive, Montgomeryville, PA 18936 USA • information@go-foster.com • www.go-foster.com